

BRIEF RISK ASSESSMENT

RESIDENTIAL REFERRAL

PATIENT DETAILS

Surname:

					Post Code:			
	C	Gende	er:		Birth Date:			
IFORM/	ATIC	N						
ecords					ge of consumer's	past b	ehav	iour/
		P	olice/Ar	mbulance/Other ager	ncies			
cify)								
ctors	Yes (1)	No (0)	Not Known	Dynamic (current)	risk factors	Yes (2)	No (0)	Not Known
own life				Expressing suicidal	ideas			
ot				Has plan/intent				
				Expresses high leve	l of distress			
osis								
/illness				Recent significant li	fe event			
vorced				Reduced ability to c	ontrol self			
				Current misuse of d	rugs/alcohol			
be)								
	ecords cify) ctors own life ot sis /illness vorced	ecords cify) ctors own life ot osis /illness vorced	ecords A cords Cify) Ctors Own life Osis Villness Vorced	ecords Assessing current of Police/Arcify) Ctors Yes No Not Known Own life Ot Osis Villness Vorced	Assessing clinician's knowledge current clinical presentation Police/Ambulance/Other ager cify) Ctors Yes No Not (1) (0) Known Dynamic (current) in Expressing suicidal Has plan/intent Expresses high leve Hopelessness/perc coping or control over the control of the Reduced ability to compare the correct misuse of decrease of the correct misuse of decrease of the correct correct misuse of decrease of the correct misuse of decrease of the correct correct misuse of the correct misuse of decrease of the correct misuse of the corre	Assessing clinician's knowledge of consumer's current clinical presentation Police/Ambulance/Other agencies cify) Cotors Yes No Not (1) (0) Not Known Dynamic (current) risk factors Expressing suicidal ideas Other Has plan/intent Expresses high level of distress Hopelessness/perceived loss of coping or control over life Villness Recent significant life event Reduced ability to control self Current misuse of drugs/alcohol	Assessing clinician's knowledge of consumer's past be current clinical presentation Police/Ambulance/Other agencies cify) Ctors Yes No Not (1) (0) Known Dynamic (current) risk factors Expressing suicidal ideas that Has plan/intent Expresses high level of distress Hopelessness/perceived loss of coping or control over life //illness //illness Recent significant life event //orced Reduced ability to control self Current misuse of drugs/alcohol	Assessing clinician's knowledge of consumer's past behave current clinical presentation Police/Ambulance/Other agencies cify) Cotors Yes No Not (1) (0) Not (2) (0) Dynamic (current) risk factors (2) (0) Dynamic (current) risk factors (2) (0) Dynamic (current) risk factors (2) (0) Expressing suicidal ideas Dynamic (current) risk factors (2) (0) Dynamic (cur

LOW

(<7)

MODERATE

(7-14)

First Names(s):

Level of Suicide Risk (total score)

HIGH

(>14)



BRIEF RISK ASSESSMENT

RESIDENTIAL REFERRAL

AGGRESSION/VIOLENCE

Static (historical) risk factors	Yes (1)	No (0)	Not Known	Dynamic (current) risk factors	Yes (1)	No (0)	Not Known
Recent incidents of violence				Expressing intent to harm others			
Previous use of weapons				Access to available means			
Male				Paranoid ideation about others			
Under 35 years old				Violent command hallucinations			
Criminal history				Anger, frustration or agitation			
Previous dangerous acts				Preoccupation with violent ideas			
Childhood abuse				Inappropriate sexual behaviour			
Role instability				Reduced ability to control self			
History of drug/alcohol misuse				Current misuse of drugs/alcohol			

Level of Aggression/Violence (total score)	LOW	MODERATE	HIGH
Level of Aggression/ violence (total score)	(<7)	(7-14)	(>14)



BRIEF RISK ASSESSMENT RESIDENTIAL REFERRAL

				C:
()T	her Ri	ICVC	Anti	TIAC
U				1150

Risk Management Issues (please ensure Psolis alerts are noted here)

TO BE COMPLETED BY ASSESSING CLINICIAN

Full Name:
Signature:
Organisation/Facility:
Address: